

# WAVE

---

Price List September 2024

---

OISIDE



WAVE COLLECTION	Reference	Description	Dimensions (piece / cm)	Weight (kg)	Pieces ( / Box)	Dimensions ( Box / cm)	Volume ( m <sup>3</sup> )	Weight ( kg)	Price (€)
	122020	Individual Sofa	48 x 49 x 77	5	1	50 x 50 x 80	-	6	595
	122160	Conversation Chair	52 x 60 x 69	6	1	55 x 60 x 70	-	7	740
	178970	Dinning Table	120x 92 x 70	18	1	120 x 100 x 70	-	19	1890

## MATERIALS AND FINISHES

### OUTDOOR FABRICS

AGORA3D



3D Natural  
1360



3D Sand  
1361



3D Mineral  
1366



3D Smoke  
1364

## TECHNICAL FILE CARACTERÍSTICAS GENERALES

Composition Composición	70% Solution Dyed Acrylic 30% PES 70% Acrílico Tintado en Masa 30% PES
Width Ancho	190 cm
Weight Peso	510 g/m <sup>2</sup>
Length of rolls Longitud de las piezas	30 ml
Finish Acabado	Water repellent. Anti-stain treatment Hidrófugo con tratamiento antimanchas
Colour fastness to light Solidez a la luz	7/8 UNE EN ISO 105-B02:2014
Colour fastness to artificial weathering Solidez del color a la intemperie artificial	4/5 UNE EN ISO 105-B04:1998
Colour fastness to chlorinated water Solidez de las tinturas al agua clorada	5/5 UNE EN ISO 105-E03:2010
Ultraviolet protection factor UPF Factor de protección ultravioleta UPF	50+ AZ/NZS 4399/1996
Slippage resistant Deslizamiento a la costura	Warp Urdimbre 2,4 mm Weft Trama 2,0 mm UNE EN ISO 13936-2:2004
Tensile strength Resistencia a la tracción	Warp Urdimbre 900 N Weft Trama 650 N UNE EN ISO 13934-1:2013
Abrasion resistance (Martindale) Resistencia a la abrasión (Martindale)	30000 UNE EN ISO 12497-2:2016
Shrinkage to washing Encogimiento al lavado	Warp Urdimbre -1'5% Weft Trama 0% UNE EN ISO 5077:2007
Cleaning instructions Manutención	    

Sensitive values of tolerance +/- 5% Valores susceptibles de tolerancia de +/- 5%



WATER RESISTANT  
HIDRÓFUGO



STAIN RESISTANT  
ANTIMANCHAS



MOULD RESISTANT  
ANTIMOHO



UV PROTECT  
PROTECCIÓN UV



UV RESISTANT  
RESISTENCIA UV



DURABLE  
DURADERO



NO CONDUCTOR  
NO CONDUCTOR



EASY TO CLEAN  
FÁCIL DE LIMPIAR



DISINFECTABLE  
DESINFECTABLE



DIMENSIONAL STABILITY  
ESTABILIDAD DIMENSIONAL



SOFT  
SUAVE



PET FRIENDLY  
APTO PARA ANIMALES



KID PROOF  
A PRUEBA DE NIÑOS



BREATHABLE  
TRANSPIRABLE

STRUCTURE

---

ALUMINUM




RAL 3012



RAL 6003



RAL 7044



RAL 9002



RAL 9005




RAL 7021


TOP

---

ALUMINUM




RAL 3012



RAL 6003



RAL 7044



RAL 9002



RAL 9005



RAL 7021


DEKTON



Aura



Avorio



Kelya



Grafite



Umber


MDI




Meteora



Petra



Iseo



Larsen



Patio Exterior SL. Polígono Industrial El Saladar  
C/ La Morera, 13. 30850 Totana, Murcia. Spain.  
968 41 80 83 / [oiside@oiside.com](mailto:oiside@oiside.com)